

R400 RUBBER


The Liquid Applied Rubber Roof



The most advanced
waterproofing technology
in the world.

FPL APPROVED





While tile roofs that were not protected with the **R400 RUBBER SYSTEM** blew away during Hurricane Andrew, those that were waterproofed with the **R400 RUBBER SYSTEM** remained intact.


Instead of tearing off your tile roof you can preserve it by applying the **R400 RUBBER SYSTEM**. The original tile is completely sealed and waterproofed, which means the system will stop all leaks and prevent any future leaks from occurring.


The roof will have a high gloss white appearance, which allows 98% of the sun's rays to be reflected, leading to a cool roof surface and reduced interior temperatures. The **R400 RUBBER SYSTEM** causes the tiles to be sealed together, increasing the roof's strength many times over - enough to withstand hurricane force winds.



A 90 lb. paper roof becomes dry and brittle from the sun's rays when it is not protected and as a result the roof begins to leak. By applying the **R400 RUBBER SYSTEM**, this roof will not have to be replaced. The roof surface and the inside of the building will become cooler as the sun's rays are reflected by the white high gloss finish of the R400 Rubber. By enabling the substrate as well as the inside of the building to become cooler, the **R400 RUBBER SYSTEM** will provide substantial energy savings.

Flat gravel roofs, commonly used in the construction of warehouses and strip malls, are usually problem roofs; this is because they do not have any slope, therefore no drainage, causing the water to constantly lay on top of the roof. While most products cannot hold up under this constant water, **The R400 RUBBER SYSTEM**, when properly applied, **will hold up against this ponding water** situation and will extend the life of the roof for many years. A light-weight cement slurry is applied - as picture indicates - to make a smooth surface to accept the R400 RUBBER.





The pool deck and cabanas above were leaking water into the parking garages and apartments located below them. The deck was stripped, and two coats of **R400 RUBBER** embedded in Polyester Reinforcing Fabric were applied to the surface. This system eliminated the leaking problems. The deck was then topped with brick pavers to provide a walking surface.



Original barrel tile roofs are practically irreplaceable. By applying The **R400 RUBBER SYSTEM** to the substrate, the original barrel tiles can be preserved. This system will add strength to the roof, stop all leaks, prevent any further leaks from occurring, fix broken tiles and restore the original beauty and luster to the roof. The roof will have a high gloss white appearance. The gloss finish allows the sun's rays to be reflected causing the roofs surface and the interior temperatures to become cooler. Through a custom order, we can color **R400 Rubber**.